
















# DROP PIPES & SWIVELS

Drop Pipes are Nylon or Aluminum Pipe with 1/4" Male Pipe Thread on lower end. Attachment fitting type and sizes are listed below.

	Fimco Code No.	Mfg. Part No.	Description	List Price
1/4" MIPT Male Connection	5056032 5056033	11-D 20-D	16" Male Aluminum Drop Pipe 20" Male Aluminum Drop Pipe	\$14.03 \$15.30
 11/16" - 16 F Nozzle Cap Connection	5056034 5056035	12-D 21-D	16" Female Aluminum Drop Pipe 20" Female Aluminum Drop Pipe	\$15.26 \$17.14
 11/16" - 16 F Nozzle Cap Connection	5065053	21354-15-NYB	15" Female Nylon Drop Pipe	\$7.69
 Quick TeeJet Nozzle Cap Connection	5056134 5056135	21353-6-15-NYB 21353-6-24-NYB	15" QuickTeeJet Nylon Hose Drop 24" QuickTeeJet Nylon Hose Drop	\$11.66 \$11.66
 Clamp Fits 7/8", 1", & 1-5/16" Round Tubing, 1-1/4" & 1-1/2" Sq. Tubing, & 2" Diamond Bar. 1/2" Hose Connection.	5056133		16" Heavy Duty Spring Loaded Drop Pipe	\$37.63
	5002180	8600-2-1/4T-NYB	Nylon Double Swivel, Less Cap & Tip	\$10.04
	5002442	QJ8600-2-1/4-NYB	QuickJet Double Swivel	\$8.64
	5002326	7620-T	1/4" Brass Single Swivel Less Cap & Tip	\$25.47
	5002349	8600-1/4T-NYB	1/4" Nylon Single Swivel Less Cap & Tip	\$8.30
	5002441	QJ8600-1/4-NYB	QuickJet Single Swivel	\$7.17
	5002439	QJ1/4T-NYB	Adaptor 1/4" FIPT Adapts to Quick Jet Caps	\$2.66
	5046186	19843-NYR	QuickJet Shutoff Cap	\$2.17
	5005074 5005073	4676-1/4 4676-1/8	1/4" Brass Adapter (Has same thread as- 1/8" Brass Adapter Nozzle Cap)	\$2.73 \$2.73
 TWIN ORIFICE TIPS *For Rate Charts See Page 50  FLAT SPRAY PATTERN	Order By No. Order By No.	(TQ150-0_Etc.) (TQ150-0_SS)	Double-Outlet Tip, Brass Double-Outlet Tip, Stainless Steel	\$8.89 \$16.10

DROP PIPES

# ROW APPLICATION KIT


The #23770 Adjustable Row Application Kit is designed to apply post-emergence chemicals over crop rows.

**FEATURES:**

- Arms adjustable for length and angle without removing bolts; simply loosen.
- Positioning one arm at proper angle automatically sets correct angle of second arm.
- Available with nylon or stainless steel arms.
- Fits square or round booms up to 1-1/2" diameter
- Kit adapts to standard or Quick TeeJet nozzle bodies.
- Side nozzle bodies may be rotated.
- Maximum pressure 125 P.S.I.
- Spray tips and strainers not included.



<b>23770-SS</b>	Row Application Kit, Stainless Steel Arms Less Tips & Strainers	<b>\$77.12</b>
-----------------	--	----------------



To determine application rate (GPA) within a treated spray band, multiply tabulated GPA by the appropriate conversion factor.

Conversion Factors to Determine Application Rate (GPA) Within a Spray Band (Gallons per Treated Acre)						
Row Spacing	Band Width					
	5"	10"	15"	20"	25"	30"
30"	6	3	2	1.5	1.2	1
40"	8	4	2.6	2	1.6	1.4

THREE NOZZLES PER 30 " OR 40 " ROW SPACING

Typical Spray Tip (Not Supplied)		Liquid Pressure in PSI	Capacity 3 Nozzle in GPM	Capacity 3 Nozzle in oz/min	GPA - GALLONS PER ACRE*									
					3 M.P.H.		4 M.P.H.		5 M.P.H.		6 M.P.H.		7 M.P.H.	
					30" Row Spacing	40" Row Spacing	30" Row Spacing	40" Row Spacing	30" Row Spacing	40" Row Spacing	30" Row Spacing	40" Row Spacing	30" Row Spacing	40" Row Spacing
8001VS*	Flat Spray	40	0.30	38	19.8	14.9	14.9	11.1	11.9	8.9	9.9	7.4	8.5	6.4
		50	0.33	42	22	16.8	16.8	12.6	13.5	10.1	11.2	8.4	9.6	7.2
		60	0.36	46	24	18.3	18.3	13.7	14.7	11.0	12.2	9.2	10.5	7.8
80015VS*	Flat Spray	40	0.45	58	30	22	22	16.7	17.8	13.4	14.9	11.1	12.7	9.5
		50	0.51	65	33	25	25	18.6	19.8	14.9	16.5	12.4	14.1	10.6
		60	0.54	69	36	27	27	20	22	16.3	18.2	13.6	15.6	11.7
8002VS*	Flat Spray	40	0.60	77	40	30	30	22	24	17.8	19.8	14.9	17.0	12.7
		50	0.69	88	44	33	33	25	27	19.9	22	16.6	19.0	14.2
		60	0.75	96	48	36	36	27	29	22	24	18.1	21	15.5
TXVS-4	Hollow Cone	40	0.20	26	13.2	9.9	9.9	7.4	7.9	5.9	6.6	5.0	5.7	4.2
		50	0.22	28	14.5	10.9	10.9	8.2	8.7	6.5	7.3	5.4	6.2	4.7
		60	0.24	31	15.8	11.9	11.9	8.9	9.5	7.1	7.9	5.9	6.8	5.1
TXVS-6	Hollow Cone	40	0.30	38	19.8	14.9	14.9	11.1	11.9	8.9	9.9	7.4	8.5	6.4
		50	0.33	42	22	16.3	16.3	12.3	13.1	9.8	10.9	8.2	9.3	7.0
		60	0.37	47	24	18.3	18.3	13.7	14.7	11.0	12.2	9.2	10.5	7.8
TXVS-8	Hollow Cone	40	0.40	51	26	19.8	19.8	14.9	15.8	11.9	13.2	9.9	11.3	8.5
		50	0.45	58	30	22	22	16.7	17.8	13.4	14.9	11.1	12.7	9.5
		60	0.48	61	32	22.4	22.4	17.8	19.0	14.3	15.8	11.9	13.6	10.2
TXVS-10	Hollow Cone	40	0.50	64	33	25	25	18.6	19.8	14.9	16.5	12.4	14.1	10.6
		50	0.55	70	36	27	27	20	22	16.3	18.2	13.6	15.6	11.7
		60	0.60	77	40	30	30	22	24	17.8	19.8	14.9	17.0	12.7

\* Chart also applies to even flat spray tips of equivalent capacity. (Example: 8001EVS)

ROW APPLICATION KIT


# TANK ACCESSORIES

## HYPRO JET AGITATOR

Jet action increases pump output as much as 3 and 4 times. Delivers volume needed for effective agitation of spray tanks to keep spray materials from settling out. Low pressure unrestricted discharge reduces foaming. Complete with three sizes of interchangeable nozzles that permit control of discharge. Tough, special formula nylon construction. Inlet is 1/2 inch NPT (female) outlet is 3/4 inch NPT (male).

<b>5014005</b> <b>3371</b>	3/4" NPT (M) Out 1/2" NPT (F) in	<b>\$7.22</b>
<b>5014014</b> <b>3371-0019</b>	3/4" NPT (M)	<b>\$8.89</b>
<b>5010258</b>	1/2" NPT (M) Poly Tee	<b>\$5.97</b>
High Volume Jet Agitator		
<b>3371-0028</b>	3/4" NPT (M)	<b>\$54.34</b>

\*INCLUDES BODY, SPACER RING, & 3 NOZZLES (1 EACH OF 3 SIZES)



## JET AGITATOR

Agitator Mounts in bottom of 3/4" Tank Fitting. Additional 3/4" Thread protrudes to attach Female Pipe Coupling or Hose Barb to Agitator.

For larger tanks, extra agitator may also be mounted in End Tank Fitting, to obtain Dual Agitation.

<b>5014011</b>	3/4" Polypropylene Agitator	<b>\$5.44</b>
<b>5010220</b>	3/4" FNPT x 1/2 HB Poly Elbow	<b>\$1.93</b>
<b>5010114</b>	3/4" FNPT x 1/2 HB Nylon Elbow	<b>\$2.89</b>
<b>5010221</b>	3/4" FNPT x 3/4 HB Poly Elbow	<b>\$4.12</b>
<b>5010136</b>	3/4" FNPT x 3/4 HB Nylon Elbow	<b>\$2.98</b>



## EDUCTOR NOZZLE (AGITATOR)

- Allows small pumps to circulate large volumes of liquid.
- Manufactured of glass filled polypropylene for excellent corrosion and chemical resistance.
- Large flow opening minimizes plugging



<b>5014015</b>	Y33180-PP	3/8" Agitator-9 GPM Inlet Flow	<b>\$60.45</b>
<b>5014016</b>	Y9270-PP	3/4" Agitator-13.5 GPM Inlet Flow	<b>\$60.45</b>

	Fimco Code No	Mfg. Part No.	Description	List Price
	<b>5133207</b>	F12512	2" Poly Tank Strap (Per Foot)	<b>\$ .99</b>
	<b>5133220</b>	F12841	3" Poly Tank Strap (150 Ft. Roll - Sold In Full Rolls Only)	<b>\$138.00</b>
	<b>5108041</b>	FI 8041	Buckle (Bent) for 1-3/4" Tank Strap	<b>\$3.79</b>
	<b>5108042</b>	FI 8042	Buckle (Straight) for 1-3/4" Tank Strap	<b>\$2.59</b>
	<b>5108112</b>	FI 8112	Buckle (Bent) for 3" Tank Strap	<b>\$5.40</b>
	<b>5108111</b>	FI 8111	Buckle (Straight) for 3" Tank Strap	<b>\$3.35</b>
	<b>5034298</b>	FI 4298	Hook Bolt 3/8 x 6"	<b>\$2.84</b>
	<b>5034111</b>	FI 4111	Hook Bolt for Buckle 1/2" x 6"	<b>\$2.95</b>

TANK REPAIR




# TANK REPAIR PARTS

## SOLAR PLASTICS TANK PARTS

	Fimco Code No.	Mfg. Part No.	Description	Hole Size In Tank	List Price
	<b>5271585</b>	SP37044	<b>Fittings for Solar Tanks</b> Complete 3/4" Double Threaded Fitting For Poly Tank	1-3/8"	<b>\$19.08</b>
	<b>5271690</b>	SP37113	Complete 1-1/4" Double Threaded Fitting For Poly Tank	2"	<b>\$23.45</b>
	<b>5271587</b>	SP37046	Complete 1-1/2" Double Threaded Fitting For Poly Tank	3"	<b>\$38.33</b>
	<b>5271752</b>	SP37071	Complete 2" Double Threaded Fitting For Poly Tank	3"	<b>\$38.33</b>
	<b>5275014</b>	10058	1/2" Ace Bulkhead Fitting	1-1/4"	<b>\$7.48</b>
	<b>5016128</b>	SP37151	<b>Gaskets for Solar Polyethylene Tanks:</b> Gasket, EPDM For 3/4" Fitting For Poly Tank		<b>\$4.55</b>
	<b>5016129</b>	SP37156	Gasket, EPDM For 1-1/4" Fitting For Poly Tank		<b>\$4.55</b>
	<b>5016131</b>	SP37085	Gasket, EPDM For 1-1/2" & 2" Fitting For Poly Tank		<b>\$5.43</b>
	<b>5058090</b>	SP37142	<b>Lids for Solar Polyethylene Tanks:</b> 5" Screw Type Lid (for 25 Gal Solar Tank)		<b>\$18.03</b>
	<b>5058188</b>	10525	<b>Lids for FIMCO Sprayer Tanks:</b> 5" Screw Type Lid (10, 15, 20, 25, 30, 35, 40, 55, 60 Gal. Tanks) 8" Screw Type Lid w/Air Breather		<b>\$10.50</b> <b>\$30.55</b>
	<b>5058122</b>	SP37426	<b>Threaded Lids for Solar Tanks:</b> 10" Polyethylene Tank Lid (Threaded Lid For Solar Tank) 10" Polyethylene Tank Lid Fillwell Ring (Threaded Solar Lid Above)		<b>\$43.40</b>
	<b>5110271</b>	SP37427			<b>\$31.85</b>
	<b>5119008</b>	SP37181	<b>Basket Screen for Solar Tanks</b> 10" Polyethylene Tank Filter Basket Screen (Fits 10" Fillwell)		<b>\$39.05</b>


# TANK REPAIR PARTS

## SNYDER IND. POLY TANK PARTS

	Fimco Code No.	Mfg. Part No.	Description	Hole Size In Tank	List Price
	<b>5010286</b>	SN340001	<b>Snyder Fittings:</b> Complete 3/4" Single Threaded Fitting For Poly Tank	2-1/4"	<b>\$13.08</b>
	<b>5010287</b>	SN340002	Complete 1" Single Threaded Fitting For Poly Tank	2-1/4"	<b>\$13.08</b>
	<b>5010288</b>	SN340003	Complete 1-1/4" Single Threaded Fitting For Poly Tank	2-1/4"	<b>\$18.32</b>
	<b>5010289</b>	SN340004	Complete 1-1/2" Single Threaded Fitting For Poly Tank	2-1/4"	<b>\$18.32</b>
	<b>5072463</b>	SN331040	<b>Snyder Gaskets:</b> EPDM "O" Ring For All Snyder Fittings Above		<b>\$4.83</b>
	<b>5058143</b>	SN343007	<b>Lids for Snyder Tanks:</b> 10" Tank Lid - 1/4 Turn W/Locking Lugs		<b>\$63.00</b>
	<b>5058144</b>	SN343080	10" Threaded Lid - Female Thread		<b>\$56.00</b>
	<b>5058148</b>	SN343047	6" Threaded Lid		<b>\$48.00</b>

TANK REPAIR

## REPAIRS FOR POLYETHYLENE TANKS

	<b>5168815</b>	67412	Poly-Patch Repair Kit for Poly Tanks		<b>\$24.43</b>
	<b>5168772</b>	SP37180	High Density Poly Welding Rod, (4 Ft.) for Poly Tank Repairs		<b>\$10.40</b>